

TE1032 Standard thermocouple strippanel

Application

- Contacts** Springloaded thermocouple contacts
- Body material** Glass filled thermoset compound

Number of circuits

- Circuits** Available 2 to 12 circuits

Temperature rating

- Temperature limit** Maximum 205°C (260°C peak)

Construction

- Body** Glass filled thermoplastic material
- Design** Solid single piece, T-nut panel fastening from the front
- Molded barriers** Prevent short circuit
- Identified** Scratchproof numbering

Dimensions

- Height** 44,5mm
- Width** 19mm x number of circuits

Colour code




Thermocouple type	T/C Type Code	ANSI Color Code	IEC Color Code
Iron Constantan	J	Black	Black
Copper Constantan	T	Blue	Brown
Chromel Alumel (NiCr-Ni)	K	Yellow	Green
Nicrosil Nisil	N	Orange	Pink
Chromel Constantan	E	Violet	Violet
Platinum 10% Rhodium	S	Green	Orange
Platinum 13% Rhodium	R	Green	Orange
Uncompensated *	Cu	White	White
Tungsten Rhenium	C	Brown	-

* For Pt.6%Rh. / Pt.30%Rh. B type thermocouple and Pt100 sensors

Ordering code

*This datasheet is purely indicative, build-up of model code may vary from this datasheet.



H9-2 Rev. 0 07/07



thermo-electra
temperature sensor solutions

Thermo Electra B.V.
Weteringweg 10
2641KM Pijnacker
The Netherlands

Phone +31 (0)15 - 3621200
Fax +31 (0)15 - 3694082
Email sales@thermo.nl
http://www.thermo-electra.com

