

# Wear-resistant and corrosion-resistant hardfacing

## Possibilities

Inconel 625

Stellite 6

Wolframcarbide

Abration resistant Chromoxide ( $\text{Cr}_2\text{O}_3$ )

Abration resistant Aluminiumoxide ( $\text{Al}_2\text{O}_3$ )

**Flame Spray Materials** With the ability of flame spray to process wire, rod, or powders, a wide variety of materials can be made into coatings using the technologies of flame spray. Even high melting point oxide ceramics can be flame sprayed.

Lower melting point materials are also flame sprayed. Some flame spray devices are designed to mainly deposit polymers such as nylons and polyesters to create very low porosity plastic coatings.



## Electric arc spraying - ARC

**Typical coatings:** Various stainless steel alloys  
Inconel alloys  
Wolfram carbide alloys  
Nickel-based alloys  
Copper and copper alloys  
Aluminium  
Zinc

## Ordering code

\*This datasheet is purely indicative, build-up of model code may vary from this datasheet.

Model



**thermo-electra**  
temperature sensor solutions

Thermo Electra B.V.  
Weteringweg 10  
2641KM Pijnacker  
The Netherlands

Phone +31 (0)15 - 3621200  
Fax +31 (0)15 - 3694082  
Email [sales@thermo.nl](mailto:sales@thermo.nl)  
<http://www.thermo-electra.com>

